

# Black Zapper

CHEMICAL HAZARDS

Do not mix this algaecide with soap or other cleaners. Do not premix with other water treating chemicals. These chemicals must be handled separately.

# DIRECTIONS FOR LISE-

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product controls the growth of problem algae in swimming pools. Brush algae spots prior to application. If necessary brush once each day for two days following application. This product comes concentrated; therefore, dilute the proper dosage of the concentrate with at least nine parts of water. The appropriate amount of product must be added by pouring directly into the pool along the edges while the filter and pump are in operation. To allow time for even distribution in pool water, bathers must allow 15 minutes after treatment before entering pool.

**INITIAL APPLICATION:** Free of Visible Algae/Start of Season: Apply 12 oz. of this product per 10.000 gallons of water. If algae growth is visible: Apply initial dose, then vacuum pool after 24 hours to remove dead algae. If pool is heavy with algae growth, first brush algae spots, vacuum, clean and scrub the pool walls. Apply initial dose, then vacuum remaining algae debris.

MAINTENANCE DOSE: Apply 6 oz. of this product per 10,000 gallons of pool water every 5 to 7 days. NOTE: After heavy or prolonged rainfall, high prevailing temperatures, or heavy swimming use, add the maintenance dose more frequently

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if absorbed through the skin. Harmful if swallowed or inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor. Wear googles or face shield, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco. or using the toilet. Remove contaminated clothing and wash before reuse.

9.5%	FIRST AID	
	IF IN EYES	Hold eyelids open and rinse slowly with water for 15-20 minutes. Remove
		contact lenses if present after 5 minutes then continue rinsing eye. Call poison
chloride26.3%		control center or doctor for treatment advice.
	IF ON SKIN	Take off contaminated clothing. Rinse skin immediately with plenty of water for
100%	OR CLOTHING	15-20 minutes. Call a poison control center or doctor for treatment advice.
	IF SWALLOWED	Call a poison control center immediately for treatment advice. Have person sip
		a glass of water if able to swallow. Do not induce vomiting unless told to do so
		by a poison control center or a doctor. Do not give anything by mouth to an
		unconscious person.
	IF INHALED	Move person to fresh air. If person is not breathing call 911 or an ambulance,
		then give artificial respiration, preferably mouth-to-mouth if possible. Call a
		poison control center or doctor for further treatment advice.
	Have the proc	luct container or label with you when calling a poison control center or doctor, or
		going for treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish and aquatic organisms.

## STORAGE AND DISPOSAL

Do not contaminate food or feed by storage or disposal. Nonrefillable container. Do not reuse or refill this container. Wrap

container and put in trash or offer for recycling if available.

Store in a locked storage area inaccessible to children and persons unfamiliar with its use.

Distributed by: **Blue Wave Products** St. Charles, Illinois 60174 1-800-759-0977



# EPA Reg. No. 46043-25-63084 EPA Est No. 46043-FL-1 REV091311

6 oz. 4 oz.

**2 oz.** 

**32 oz.** 

30 oz.

28 07.

**26 oz.** 

24 oz.

**22** 07.

20 oz.

18 oz.

16 oz.

14 oz.

12 07.

10 oz.

8 oz.

ACTIVE INGREDIENT Copper ethanolamine complex, mixed\*..... (Copper MEA Complex CAS No. 14215-52-2. Copper TEA Complex CAS No. 82027-59-6) n-Alkyl(50% C14, 40% C12, 10%, C16) dimethyl benzyl ammoniu OTHER INGREDIENTS..... TOTAL \*Metallic Copper equivalent, 3.07%

 $\otimes$ 

## **KEEP OUT OF REACH OF CHILDREN**

DANGER See other precautions and

first aid on back panel.

**Controls the Growth of Problem Algae In Swimming Pools** 

# **NET CONTENTS** 32 FL. OZ (946 ml)