Date Issued: 07/01/2008

MSDS No: Blue Wave Sanitizing Granules

Date Revised: 04/27/2011 Revision No: 4

Blue Wave Sanitizing Granules

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Blue Wave Sanitizing Granules

GENERAL USE: Swimming Pool Sanitizer

PRODUCT DESCRIPTION: Sodium Dichloro-s-triazinetrione Dihydrate

MOLECULAR FORMULA: C3CI2N3O3Na-2H2O

ACTIVE INGREDIENT(S): Sodium Dichloro-s-triazinetrione Dihydrate

DISTRIBUTOR

Blue Wave Products 1745 Wallace Ave # B St Charles, IL 60174

Product Stewardship: (800) 759-0977

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: White granular product

IMMEDIATE CONCERNS: Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Will burn with evolution of chlorine and equally toxic gases. Do not get in eye, on skin, or on clothing. Avoid breathing dust and fumes.

POTENTIAL HEALTH EFFECTS

EYES: Dust and process vapors may irritate eyes.

SKIN: Harmful if absorbed through the skin. **INGESTION:** May be harmful if swallowed. **INHALATION:** May be fatal if inhaled.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

ACUTE TOXICITY: Repeated exposure may cause eye, nose, throat and pharynx irritation.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS	EINECS
Sodium Dichloro-s-triazinetrione Dihydrate	100	51580-86-0	

COMMENTS: 55.0 - 56.0% active chlorine

4. FIRST AID MEASURES

EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Date Issued: 07/01/2008

MSDS No: Blue Wave Sanitizing Granules

Date Revised: 04/27/2011 Revision No: 4

Blue Wave Sanitizing Granules

SKIN: Immediately wash skin with soap and plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

INGESTION: Drink plenty of water in small gulps. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

INHALATION: Move victim to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible.

ADDITIONAL INFORMATION: Chronic Effect: Prolonged contact may result in irritation to eyes, skin and mucous membranes.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: Not Applicable

FLAMMABLE LIMITS: 0 to 0 **Notes:** Non-flammable.

EXTINGUISHING MEDIA: Use extinguishing measures to suit surroundings. For safety reasons, do not use full water

jet.

HAZARDOUS COMBUSTION PRODUCTS:

In case of fire, the following hazardous combustion gases are formed:

Nitrogen; Hydrogen Chloride (HCI); Chlorine (CI2); Nitrogen trichloride (explosion hazard); Isocyanic acid; carbon monoxide and carbon dioxide.

EXPLOSION HAZARDS: Highly reactive oxidizing materials may result in fire.

FIRE FIGHTING PROCEDURES: Saturate with massive quantities of water to extinguish thermal decomposing products. If possible, isolate them to an open area, wearing self-contained breathing apparatus with full facepiece and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Sweep up spill with a dry broom and contain. Do not allow material to sit on ground and become moist. Do not contaminate with water, organics or nitrogen compounds.

COMMENTS: Avoid dust formation. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

7. HANDLING AND STORAGE

HANDLING: Keep away from moisture, sunlight and high temperatures. Keep away from flammable liquids, combustibles and oxidizers. Avoid dust formation.

STORAGE: Store in a cool, dry, well-ventilated area. Do not store at temperatures above 60 deg C/140 deg F.

STORAGE TEMPERATURE: Less than 25 degrees Celsius.

LOADING TEMPERATURE: Keep away from sources of ignition. Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture and water.

Date Issued: 07/01/2008

MSDS No: Blue Wave Sanitizing Granules

Date Revised: 04/27/2011 Revision No: 4

Blue Wave Sanitizing Granules

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)									
		EXPOSURE LIMITS							
		OSHA PEL		ACGIH TLV		SupplierOEL			
Chemical Name		ppm	mg/m³	ppm	mg/m³	ppm	mg/m³		
Sodium Dichloro-s-triazinetrione Dihydrate	TWA	[1]	[1]	[2]	[2]	[3]	[3]		

Footnotes:

- 1. 15 mg/m3 (total dust) TWA; 5 mg/m3 (respirable) 8-hr TWA for Particulates Not Otherwise Regulated
- 2. 3 mg/m3 (respirable) TWA; 10 mg/m3 (inhalable) TWA for Particulates Not Otherwise Classified
- 3. The TLV for Chlorine is 0.5 ppm (1.5 mg/m3) TWA and 1ppm STEL.

ENGINEERING CONTROLS: Local exhaust with circulation to the outside is needed in the event of decomposition which produces fumes and chlorine gas.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Chemical splash goggles and face shield.

SKIN: Impervious gloves.

RESPIRATORY: If needed, use OSHA-NIOSH approved respirator for dusts, mists, and fumes with TLV not less

thatn 0.05 mg/m3.

PROTECTIVE CLOTHING: Neoprene apron and impervious clothing.

WORK HYGIENIC PRACTICES: Provide safety shower and eyewash station in the work area.

COMMENTS: Avoid contact with eyes and skin. Do not inhale dust. Remove soiled or soaked clothing immediately.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Solid ODOR: Mild chlorine.

APPEARANCE: White granular.

pH: 6.5

VAPOR PRESSURE: 100
VAPOR DENSITY: 100

BOILING POINT: Not Applicable **FREEZING POINT:** Not Applicable

MELTING POINT: Decomposes at 240 degrees C. **FLASHPOINT AND METHOD:** Not Applicable

SOLUBILITY IN WATER: 26.2 g/100ml H2O at 25 degrees C

EVAPORATION RATE: Not Applicable

DENSITY: 16.69 at (68°F) **SPECIFIC GRAVITY:** 1.95

Date Issued: 07/01/2008

MSDS No: Blue Wave Sanitizing Granules

Date Revised: 04/27/2011 Revision No: 4

Blue Wave Sanitizing Granules

VISCOSITY: Not Applicable

(VOC): 100.000

10. STABILITY AND REACTIVITY

STABILITY: Stable under dry and normal conditions.

POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Heat, open flames and other sources of ignition. Exothermal reactions are possible in the event of contact with incompatible substances.

HAZARDOUS DECOMPOSITION PRODUCTS: Hydrogen Chloride (HCI), Chlorine, Nitrogen, Nitrogen Chloride, Isocyanic acid.

INCOMPATIBLE MATERIALS: Avoid contact with organic matter. Avoid contact with easily chlorinated or oxidized materials which may result in fire.

Avoid contact with ammonia, ammonium salts, urea or similar compounds which contain nitrogen. This may form nitrogen trichloride, a highly explosive compound.

Avoid contact with oxidizing agents, reducing agents, acids and alkalis.

Avoid contamination with oils and greases which may cause decomposition with the formation of CO2 and CI2.

This product may form an explosive mixture with calcium hypochlorite.

In a formulation containing this material as the major component, alkaline materials such as soda ash (Na2CO3) in the presence of moisture may cause violent decomposition and fire.

Avoid contact with alcohols, ethers, and solvents (toluene, xylene, turpentine, etc.)

Avoid contact with small amounts of water. (Do not add water to chemical, add chemical to water.)

11. TOXICOLOGICAL INFORMATION

ACUTE

DERMAL LD₅₀: > 5000 mg/kg (rabbit)

Notes: Merck

ORAL LD₅₀: 500-1600 mg/kg (rat)

Notes: Merck

NOTES: Contact with eyes and skin may cause irritation.

COMMENTS: Acute Toxicity: Oral LD50 738 mg/kg (rat) 1355 (male) 1400 (female)

12. ECOLOGICAL INFORMATION

Date Issued: 07/01/2008

MSDS No: Blue Wave Sanitizing Granules

Date Revised: 04/27/2011 Revision No: 4

Blue Wave Sanitizing Granules

AQUATIC TOXICITY (ACUTE)

48-HOUR EC₅₀: 3.19 TLM ppm Oryzlas Latipes

GENERAL COMMENTS: Very toxic to aquatic organisms. May cause long term adverse effects in the aquatic environment. Do not discharge into aquatic environment, drains or sewage treatment plants. Marine pollutant.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with applicable local, state, and federal regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Not regulated if non-bulk (under 882 lbs) via truck or rail.

SPECIAL SHIPPING NOTES: DOT Special Provision #28 states "The dihydrated sodium salt of dichlorisocyanuric acid is not subject to the requirements of this subchapter."

VESSEL (IMO/IMDG)

SHIPPING NAME: Environmentally Hazardous Substances, Solid, N.O.S. (Sodium Dichlorisocyanurate dihydrate),

Marine Pollutant

UN/NA NUMBER: 3077

PRIMARY HAZARD CLASS/DIVISION: 9

PACKING GROUP: III
NOTE: Marine Pollutant

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Not listed.
313 REPORTABLE INGREDIENTS: None.
TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All ingredients in this mixture are in compliance with TSCA.

REGULATIONS

STATE REGULATIONS: Massachusetts Hazardous Substance - Yes

Pennsylvania Hazardous Substance - Yes

CALIFORNIA PROPOSITION 65: NA = Not Applicable

FIFRA (FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT): This is an EPA-registered product.

Date Issued: 07/01/2008


MSDS No: Blue Wave Sanitizing Granules

Date Revised: 04/27/2011 Revision No: 4

Blue Wave Sanitizing Granules

REVISION SUMMARY: Revision #: 4. This MSDS replaces the April 27, 2011 MSDS., International (IMO /IMDG) - Proper Shipping Name





MANUFACTURER DISCLAIMER: Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).