Date Issued: 08/30/2011 MSDS No: BW Brominating Tablets

Blue Wave Brominating Tablets

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Blue Wave Brominating Tablets **GENERAL USE:** Swimming Pool Sanitizer **PRODUCT DESCRIPTION:** Mini Slow Dissolving Tablets for Swimming Pool & Spa Disinfecting **CHEMICAL FAMILY:** Halogenated Hydantoin

DISTRIBUTOR

Blue Wave Products 1745 Wallace Ave # B St Charles, IL 60174 **Product Stewardship:** (800) 759-0977

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: White tablet

IMMEDIATE CONCERNS: Corrosive. Causes irreversible eye damage and skin burns. Irritating to nose and throat. May be fatal if inhaled. Harmful if absorbed through skin or swallowed. Oxidizer.

POTENTIAL HEALTH EFFECTS

EYES: Corrosive. May cause temporary or permanent eye damage.

SKIN: Exposure to wet skin may cause severe irritation. May cause skin sensitization.

SKIN ABSORPTION: Harmful if absorbed through the skin.

INHALATION: Irritant to upper respiratory tract. Shortness of breath, headache and nausea.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS	EINECS
Bromo-chloro-5, 5-dimethylhydantoin	98	32718-18-6	251-171-5

4. FIRST AID MEASURES

- **EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- **SKIN:** Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **INGESTION:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration,

Date Issued: 08/30/2011 MSDS No: BW Brominating Tablets

Blue Wave Brominating Tablets

preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **NOTES TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE FIGHTING MEASURES

FLAMMABLE LIMITS: 0 to 0

EXTINGUISHING MEDIA: Dry powder, carbon dioxide or water spray.

EXPLOSION HAZARDS: Oxidizing agent. Forms explosive mixtures with combustible, organic or other easily oxidizable materials. When heated to decomposition, may release poisonous and corrosive fumes.

FIRE FIGHTING PROCEDURES: Cool containers with water spray. In closed stores, provide fire-fighters with self-contained breathing apparatus in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

GENERAL PROCEDURES: Evacuate area.

RELEASE NOTES: Vacuum or sweep up material and place in a disposal container. Avoid dust formation. Collect solids for waste removal. Rinse contaminated area with plenty of water. Avoid access to streams, lakes or ponds.

SPECIAL PROTECTIVE EQUIPMENT: Use dust respirator, rubber gloves and chemical safety goggles.

7. HANDLING AND STORAGE

HANDLING: Keep containers tightly closed.

STORAGE: Keep away from sources of ignition. Store in a cool, dry, well-ventilated area. Keep away from incompatible materials.

STORAGE TEMPERATURE: Below 30 degrees C.

LOADING TEMPERATURE: For transportation, it is possible to store at temperatures up to 50 degrees C.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)						
		EXPOSURE LIMITS				
		OSHA PEL		ACGI	ACGIH TLV	
Chemical Name		ppm	mg/m³	ppm	mg/m ³	
Bromo-chloro-5, 5-dimethylhydantoin	TWA	N/E		N/E		

ENGINEERING CONTROLS: Use local exhaust as necessary, especially under dusty conditions. Ventilation must be sufficient to maintain atmospheric concentration below recommended exposure limit.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear chemical safety glasses or goggles.

Date Issued: 08/30/2011 MSDS No: BW Brominating Tablets

Blue Wave Brominating Tablets

SKIN: PVC gloves, body covering clothes and boots.

RESPIRATORY: Approved respirator.

WORK HYGIENIC PRACTICES: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Safety shower and eye bath should be provided.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Solid ODOR: Faint halogenous odor APPEARANCE: White tablet. VAPOR PRESSURE: 9.35x10(-3) Pa (25 deg C) VAPOR DENSITY: 98 BOILING POINT: Not Applicable SOLUBILITY IN WATER: .22 g/100ml SPECIFIC GRAVITY: 1.800 to 2.0 (VOC): 98.000

10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: No

STABILITY: Stable under normal conditions.

CONDITIONS TO AVOID: Exposure to moisture. Heating above decomposition temperature. Contact with combustible materials may initiate decomposition of the material and emission of smoke.

HAZARDOUS DECOMPOSITION PRODUCTS: CO, HBr, Cl2, NOx, HCI, CO2

INCOMPATIBLE MATERIALS: Oxidizing agents, bases, and combustible organic materials.

11. TOXICOLOGICAL INFORMATION

ACUTE

ORAL LD₅₀: 929 mg/kg (rat) INHALATION LC₅₀: 1.1 mg/l/4 hour (rat)

CARCINOGENICITY

IARC: Not classified as a carcinogen.

IRRITATION: Dermal irritation (rabbit) - Corrosive

SENSITIZATION: Sensitizer

MUTAGENICITY: Mutagenic by the Ames Test. Mutagenic in the mouse lymphoma L5178Y test system. Non genotoxic in an in-vivo in micronucleous test in mice. Non genotoxic in an in-vivo liver unscheduled DNA synthesis (USD) assay.

Date Issued: 08/30/2011 MSDS No: BW Brominating Tablets

Blue Wave Brominating Tablets

BIOACCUMULATION/ACCUMULATION: Based on low Kow values, i.e. less than one, this product would not be predicted to significantly accumulate in aquatic organisms, or sorb to organic material in soil or sediment.

AQUATIC TOXICITY (ACUTE)

96-HOUR LC₅₀: 1.2 mg/l (eastern oyster, Acute flow through)

- 1.9 mg/l (Mysid shrimp, Acute flow through)
- 0.4 mg/l (Rainbow trout, Static)
- 1.6 mg/l (Sheepshead minnow, Acute flow through)

48-HOUR EC₅₀: 0.75 mg/l (Static) (Daphnia Magna)

COMMENTS: Avian Toxicity: Oral LD50, Bobwhite Quail 1839 mg/kg Dietary LC50, Mallard Duck >5620 ppm Dietary LC50, Bobwhite quail >5620 ppm

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Dispose of in accordance with applicable local, state, and federal regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Oxidizing Solid, N.O.S. (Bromochloro-5, 5-Dimethylhydantoin)

PRIMARY HAZARD CLASS/DIVISION: 5.1

UN/NA NUMBER: UN 1479

PACKING GROUP: ||

OTHER SHIPPING INFORMATION: DOT exception 173.154 - this product qualifies as a Limited Quantity when inner packaging does not exceed 2.2 lbs and outer packaging does not exceed 66 lbs.

15. REGULATORY INFORMATION

UNITED STATES

DOT LABEL SYMBOL AND HAZARD CLASSIFICATION



Oxidizing

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: This product is a hazardous chemical under 29CFR 1910.1200 and is categorized as an IMMEDIATE, DELAYED HEALTH and REACTIVITY physical hazard.

313 REPORTABLE INGREDIENTS: No ingredients listed at or above the de minimus level.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)


CERCLA REGULATORY: Not listed.

Date Issued: 08/30/2011 MSDS No: BW Brominating Tablets

Blue Wave Brominating Tablets

FIFRA (FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT): This is an EPA-registered product.

16. OTHER INFORMATION



MANUFACTURER DISCLAIMER: Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).