

ROLBAK

"The Original Basketball Return Net System"

We work around the clock and around the globe to ensure that Rolbak products maintain the highest possible quality. However, in the rare instance that your product is defective or missing parts, PLEASE DO NOT RETURN IT TO THE STORE. Contact us through one of the following methods:

<u>Manufacturer</u>

Rolbak by Harvil, a Division of Dazadi Inc. 6700 Fallbrook Ave. Ste. 203A West Hills, CA 91307 USA

> Email: info@rolbak.com Phone: 866-507-3861 Fax: 866-507-3862

Please have your model number and part number available for Customer Service Representatives prior to calling. These numbers are available in these assembly instructions.

IMPORTANT! PLEASE READ THESE ASSEMBLY INSTRUCTIONS IN ENTIRETY BEFORE ASSEMBLING YOUR NET. 1

NO TOOLS REQUIRED! REQUIRES APPROXIMATELY 50 LBS (22.7 KGS.) OF DRY SAND THAT CAN BE PURCHASED AT YOUR LOCAL HARDWARE STORE

WARNINGS!

READ AND FOLLOW ALL ASSEMBLY, OPERATION, AND SAFETY INSTRUCTIONS CAREFULLY. AT LEAST TWO ADULTS ARE NEEDED FOR THE ASSEMBLY OF THE ROLBAK NET.

NOTE: PORTABLE BASKETBALL HOOPS - ADD EXTRA WEIGHT TO THE POR-TABLE SYSTEM'S BASE AS A SAFETY PRECAUTION TO PREVENT YOUR UNIT FROM FALLING OVER, ESPECIALLY IN WINDY CONDITIONS.

DO NOT CLIMB ON THE NET. NEITHER ROLBAK, NOR ANY OF ITS REPRESENTATIVES, ASSUMES LIABILITY FOR INJURY RESULTING FROM MISUSE OF THE ROLBAK SYSTEM.


FOR AGES 12 AND UP.

ASSEMBLY INSTRUCTIONS

Table of Contents

PARTS IDENTIFIER	4
PART 1 – ATTACHING THE ROLBAK NET	5
PART 2 – SECURING THE NET BASE	6
SUGGESTED USAGE	7
WARRANTY INFORMATION	8

PARTS IDENTIFIER (Not to Scale)




Additional equipment required:




PLEASE NOTE THAT YOUR BASKETBALL SYSTEM MAY APPEAR DIFFERENTLY THAN THE PICTURED EXAMPLES

PART 1 - ATTACHING THE ROLBAK NET


1. Join the three **Round Silver Tubes** together-swaged ends fit into one another and lock forming one **Assembled Tube**.



2. Slide Assembled Tube through the opening in the top of the Rolbak Net Header.




3. Insert hooks of the Net Harness into each end of the Assembled Tube




4. With the **Rolbak Net** now attached to the **Assembled Tube** and **Net Harness**, place **Net Harness** over the basketball hoop rim flush with the backboard.

5. Take the two hanging **Net Harness** straps and thread them through the slits in the **Rolbak Net Header**. Tie these straps behind the backboard to any fixed supports or brackets and tighten firmly. [Note: For adjustable basketball systems, make sure the straps do not restrict the hoop movement or the adjustment mechanism.]




PART 2 – SECURING THE NET BASE


1. Use Paper Funnel to fill the Black Plastic Sand Bag three quarters full. Fasten top with Zip Tie.



2. Insert 2 filled Sand Bags into each Black Mesh Bag.



3. Using Black Mesh Bag's Clips, attach 2 filled Black Mesh Bags to each side of Rolbak Net.




Congratulations!

You are now ready to use your Rolbak Silver Basketball Return Net System.

SUGGESTED USAGE

For Practice: Angle the net forward by pulling base forward.

For Play: Move the net back to the post.



For longer system life, disassemble and store your Rolbak Return Net during winter months.