ARCTIC ARMOR WINTER BOOL COVERS	nilyPoolFur Please return to Or fax to: (877)	: customquotes	ng & Order @familypoolfun.c	
 12-Yr. Standard Mesh 15-Yr. Super Mesh 	COVER COLOR Green Blue Green Blue Green Blue	Company Name	ANCHOR TYPE Concrete Wood Deck Lawn/Brick	
Name Address CityS			C D E	DIMENSIONS BELOW G H I J
	Fax #			
C RECTANGLE	\Box $GRECIAN C = G + E + G D = H + F + H G G G F F$	OVAL		$\square ROMAN$ $C = G + E + G$ $D = H + F + H$ $(F + C + C + F + H)$ $(F + C + F + H)$
	TRUE L RIGHT C B B B B B B B B C E D F	E H G C I F		HT CUSTOM Please complete A-B measurements below
Is there a step section? Yes No	-	on location Center Right		tep section dimensions Length

THE ABOVE POOL TYPES ARE MADE WITH 5'X5' SPACING UNLESS OTHERWISE SPECIFIED (Spacing refers to the distance between the webbing straps. All pools over 2,000 sq.ft. require 3' x 3' spacing.)

□ 5' x 5' Spacing □ 3' x 3' Spacing

ADDITIONAL REQUIRED INFORMATION

Please submit labelled photos for pools with complex features! Cutouts may be required if objects are within 18" of pool. Please provide A-B dimensions to locate object. All non-removable obstacles.

- 1. Grabrails:
 Pt#____to Pt#____

 Distance rails are set back from pool _____
- 2. Handrails: Pt#_____to Pt#_____ Distance rails extend into pool
- 3.
 Ladders:
 Pt#_____to Pt#_____

 Ladder Cups
 (if cutout needed)
 Pt#_____to Pt#_____

 How far does ladder extend into pool?

- 4. Fillspout: Pt#_____ Dimensions & distance from pool: _____ How high if raised? _____
- 5. Dive Stand: Pt#_____to Pt#_____
- 6. Slide Legs: (within 2 ft) Pt#_____to Pt#_____ Distance legs are back from pool ______
- Dive Rocks: Pt#____to Pt#____
 Distance back from pool _____
 Give several points along rock, (left side, front side, right side)
- 8. Grab Rocks:
 Pt#_____to Pt#_____

 Distance back from pool

- 9. Type and width of coping: _____ and _____
- 10. Planter or grass area: Pt#_____to Pt#_____
- 11. Spa:
 Pt#_____to Pt#_____

 Separate cover required Yes _____No _____

 How high is spa? ______

 Is spa wall flush with top of coping? Yes _____No _____

 Open Spillway:
 Yes ______No ______

 If yes: To locate spillway Pt#_____to Pt#_____


 Give points all around spa and points at all four corners of open spillway.

Pt#to Pt# Furnish points at beginning, middle, end of formatic Always use approximate 1' intervals between points 14. Varying Deck Levels: step 1: Pt#to Pt# A-B dimensions require indicating angle of the deck from pool wall, out onto deck. Height? step 2: Pt#to Pt# step 3: Pt#to Pt# I5 Wood Deck: YesNo	12.	Raised wall of R		
along wall to end of wall. Height? 13. Waterfall or Rock Formation: Pt#to Pt# Furnish points at beginning, middle, end of formatic Always use approximate 1' intervals between points 14. Varying Deck Levels: step 1: Step 1: Pt#to Pt# A-B dimensions require indicating angle of the deck from pool wall, out onto deck. Height? step 2: Pt#to Pt# step 3: Pt#to Pt# 15. Wood Deck: YesNo Are wood deck anchor flanges required No				
13. Waterfall or Rock Formation: Pt#to Pt# Furnish points at beginning, middle, end of formational Always use approximate 1' intervals between points 14. Varying Deck Levels: step 1: Pt#to Pt# A-B dimensions require indicating angle of the deck from pool wall, out onto deck. Height? step 2: Pt#to Pt# step 3: Pt#to Pt# 15 Wood Deck: YesNo			-	•
Furnish points at beginning, middle, end of formational Always use approximate 1' intervals between points 14. Varying Deck Levels: step 1: Pt#to Pt# A-B dimensions require indicating angle of the deck from pool wall, out onto deck. Height? step 2: Pt#to Pt# step 3: Pt#to Pt# 15 Wood Deck: YesNo Are wood deck anchor flanges required YesNo		along wall to en	d of wall. Heig	ght?
Pt#to Pt# Furnish points at beginning, middle, end of formatic Always use approximate 1' intervals between points 14. Varying Deck Levels: step 1: Pt#to Pt# A-B dimensions require indicating angle of the deck from pool wall, out onto deck. Height? step 2: Pt#to Pt# step 3: Pt#to Pt# 15 Wood Deck: YesNo Are wood deck anchor flanges required YesNo Indicate partial wood deck areas: Pt#	10			
Furnish points at beginning, middle, end of formation Always use approximate 1' intervals between points 14. Varying Deck Levels: step 1: Pt#to Pt# A-B dimensions require indicating angle of the deck from pool wall, out onto deck. Height? step 2: Pt#to Pt# step 3: Pt#to Pt# 15 Wood Deck: YesNo Are wood deck anchor flanges required YesNo	13.	Waterfall or Roc		. D. //
Always use approximate 1' intervals between points 14. Varying Deck Levels: step 1: Pt#to Pt# A-B dimensions require indicating angle of the deck from pool wall, out onto deck. Height? step 2: Pt#to Pt# step 3: Pt#to Pt# 15 Wood Deck: YesNo Are wood deck anchor flanges required YesNo				
 14. Varying Deck Levels: step 1: Pt#to Pt# A-B dimensions require indicating angle of the deck from pool wall, out onto deck. Height? step 2: Pt#to Pt# step 3: Pt#to Pt# 15 Wood Deck: YesNo Are wood deck anchor flanges required YesNo Indicate partial wood deck areas: Pt# No mercial Pool: Skimmer Gutter If gutter pool, *Covers over 2000 sq. ft. must be made in 3x3 sections. 				
step 1: Pt#to Pt# A-B dimensions require indicating angle of the deck from pool wall, out onto deck. Height? step 2: Pt#to Pt# step 3: Pt#to Pt# 15 Wood Deck: YesNo Are wood deck anchor flanges required flanges required YesNo		Always use appl	roximate 1' inte	ervals between points.
step 1: Pt#to Pt# A-B dimensions require indicating angle of the deck from pool wall, out onto deck. Height? step 2: Pt#to Pt# step 3: Pt#to Pt# 15 Wood Deck: YesNo Are wood deck anchor flanges required flanges required YesNo	1 /		vole	
A-B dimensions require indicating angle of the deck from pool wall, out onto deck. Height?	14.	, ,		to Dt#
from pool wall, out onto deck. Height? step 2: Pt#to Pt# step 3: Pt#to Pt# 15 Wood Deck: YesNo Are wood deck anchor flanges required YesNo Indicate partial wood deck areas: Pt#to Pt# 16. Commercial Pool: Skimmer Gutter If gutter pool, indicate dimension of gutter *Covers over 2000 sq. ft. must be made in 3x3 sections.		•		
step 2: Pt#to Pt# step 3: Pt#to Pt# 15 Wood Deck: YesNo Are wood deck anchor flanges required YesNo Indicate partial wood deck areas: No Indicate partial wood deck areas: Pt#to Pt# To Pt# Skimmer				• •
step 3: Pt#to Pt# 15 Wood Deck: YesNo Are wood deck anchor flanges required YesNo Indicate partial wood deck areas: No Indicate partial wood deck areas: Pt#to Pt# to Pt# Skimmer		•		•
 15 Wood Deck: YesNo Are wood deck anchor flanges required YesNo Indicate partial wood deck areas: Pt#to Pt# 16. Commercial Pool: Skimmer Gutter If gutter pool, indicate dimension of gutter *Covers over 2000 sq. ft. must be made in 3x3 sections. 		-		
Are wood deck anchor flanges required YesNo Indicate partial wood deck areas: Pt#to Pt# 16. Commercial Pool: Skimmer Gutter If gutter pool, indicate dimension of gutter *Covers over 2000 sq. ft. must be made in 3x3 sections.		•		
flanges required YesNo Indicate partial wood deck areas: Pt#to Pt# 16. Commercial Pool: Skimmer Gutter If gutter pool, If gutter pool, indicate dimension of gutter *Covers over 2000 sq. ft. must be made in 3x3 sections.	15			NO
Indicate partial wood deck areas: Pt#to Pt# 16. Commercial Pool: Skimmer Gutter If gutter pool, indicate dimension of gutter *Covers over 2000 sq. ft. must be made in 3x3 sections.				NL.
Pt#to Pt# 16. Commercial Pool: Skimmer Gutter If gutter pool, indicate dimension of gutter *Covers over 2000 sq. ft. must be made in 3x3 sections.		•		
 16. Commercial Pool: Skimmer Gutter If gutter pool, indicate dimension of gutter *Covers over 2000 sq. ft. must be made in 3x3 sections. 				
Skimmer Gutter If gutter pool, indicate dimension of gutter *Covers over 2000 sq. ft. must be made in 3x3 sections.		Pt#	to Pt#	
Skimmer Gutter If gutter pool, indicate dimension of gutter *Covers over 2000 sq. ft. must be made in 3x3 sections.	10		.1.	
Gutter If gutter pool, indicate dimension of gutter *Covers over 2000 sq. ft. must be made in 3x3 sections.	16.			
If gutter pool, indicate dimension of gutter *Covers over 2000 sq. ft. must be made in 3x3 sections.				
indicate dimension of gutter *Covers over 2000 sq. ft. must be made in 3x3 sections.				
*Covers over 2000 sq. ft. must be made in 3x3 sections. Additional Requirements				
	*		-	
Additional Requirements	CU	vers over 2000 sc	1. II. IIIust be li	
	۵dc	litional Requirem	ents	
	/ (ac	litional nequiren	icitis	

Detectional an Detection d Dennel Decem

POOLTYPE VINYL		p	package pool brand GUNITE				ОТ	OTHER						
Overall length, from poi						nt to point _				(longest point).				
Overall width, from poi														
Addit	ional cr	oss din	nensions:	Pt#		to P	t#		_, Pt#		to Pt	:# =	/	
Pt#		t	o Pt#=		·									
* The	distanc	e betw	een A an	d B is _										
Shov	v A B in	relatio	n to the p	oool (or	n sketch	ר)								
* Indi	cate are	as whe	ere the de	ck is le	ss than	4' from w	aterline	e of the	e pool					
No.	А	В	No.	А	В	No.	А	В	No.	А	В	No.	А	В
1			17			33			49			65		
2			18			34			50			66		
3			19			35			51			67		
4			20			36			52			68		
5			21			37			53			69		
6			22			38			54			70		
7			23			39			55			71		
8			24			40			56			72		
9			25			41			57			73		
10			26			42			58			74		
11			27			43			59			75		
12			28			44			60			76		
13			29			45			61			77		
14			30			46			62			78		
15			31			47			63			79		
16			32			48			64			80		

PLEASE ANSWER ALL QUESTIONS ON BACK OF PAGE



A-B line or extensions of, cannot intersect pool; "A" must be left of "B"; number all points in clockwise direction

A-B MEASURING INSTRUCTIONS

Necessary for all free-form pools and ovals w/ step other than center end.

- 1. a. Draw a sketch of the pool shape on the grid provided.
 - b. To represent your A-B line, mark 2 points on the deck in a straight line approximately 3'-4' from the pools edge and about two-third's (2/3) the length of the pool. "A" must always be to the left of "B" as you face the pool.
 - c. Make sure the pool is totally in front of the A-B line. This is a must because your measurements will be incorrect if this instruction is not observed.
 - d. Measure the A-B line, and on your sketch, note its length and position in reference to the pool.
- 2. a. Use chalk to mark and number points clockwise around the entire pool at approximately 3 foot intervals. Point #1 must be directly across from the center point of your A-B line. Make sure your marks are on the inside edge of the pool. Make each step corner a numbered point. Measure sharp curves and angles at 1' to 2' intervals or less. Any obstructions such as ladders, slides, rocks, waterfalls, etc. should be a numbered point. Measure these last after complete all pool points.
 - b. Obstructions away from the water's edge but within the 18" overlap area should be numbered last on the A-B form, not in succession as you measure around the pool's edge.
 - c. Make sure to include steps, ladders, waterfalls or any other non-removable obstruction on your sketch.
- 3. Record measurements from point A and B to all the points you have marked around pool perimeter.
 - a. Secure the end of your 100 ft. measuring tape to "A" on your A-B line and measure the distance to point #1 and note the distance in the "A" column on the chart provided. Continue around the pool until you have recorded all your points with an "A" measurement.
 - b. Secure the end of your 100 ft. measuring tape to "B" and repeat the step above from "B" on your A-B line.
- 4. a. Take 3-4 diagonal measurements randomly from numbered points on the pool and note in the spaces provided.

Items such as slide legs, ladders (that are not removable), etc. that are with 2' of pool will be cutouts. Measure these items after all pool points are finished.

